

## Welcome to the TW Paintless Dent Removal Tools & Accessories Catalogue

The TW Paintless Dent Removal tools are designed to remove small dents in car bodies in just a few minutes, without filling or re-painting.

With the special TW tools the metal in the dent area is gently brought back to its original state. This process doesnot damage the paint !

Parking dents, hail damages etc can now be repaired efficiently with the TW Paintless Dent Removal tools, which all are shown in this catalogue, along with an overview of the accessories program.

The TW tools not only enable you to reduce costs, but also to generate a higher turnover and to improve margins :

- Quick and cost-effective repair of small dents in new cars.
- Reconditioning of trade-ins at low cost
- Cost savings in traditional body repair jobs, especially in hard to reach areas
- Extra turnover as customers now face lower repair costs for minor damages
- Minimum operating costs
- Possibility of incremental turnover of hail damage repairs via insurance companies.

The TW Paintless Dent Removal tools are sound investments, that pay off after just a few repairs.

Hands-on training programs are offered by the TW dealers in Europe to ensure that you fully exploit the unique advantages of paintless dent removal with the TW tools.

---

### The Tools

#### Quality products with a lifetime quarantee





The hand crafted tools offer a perfect combination of strength, flexibility, durability and corrosion resistance. This is the result of the specific composition of the stainless steel and the tailored heat treatment. We back our TW tools with a lifetime quarantee.(from 5 mm shaft diameter).

The TW Dent Repair Kits contain a selection of small and large tools, which will enable you to carry out a large range of dent repairs.

The small tools can be used either like the large ones – as levers, using the side of a hole or other entry point for leverage – or with the tip directly applied to the dent.

*Designed by Professionals*

# Contents

	Page
Overview Tool Program .....	3
 "Hand Tools" .....	4
 "Rod Tools" .....	7
 "Specials" .....	9
 "Accessories" .....	13

***Designed by Professionals***

## Overview of the Tool Program

### Tool Types

The TW tool program contains 3 types of tools, with different colours on the handles :

- black : the larger tools with a T-handle
- blue : the smaller tools with a pistolgrip handle
- green : Special tools for specific applications

### Tool Explanation



The tool above is tool TW5422 . The description of the tool is :

“Blade /9,5 x 660 mm / 75 mm Toe / 45° “

Blade refers to the tip of the tool, a blade tip.

9,5 x 660 mm refers to the diameter and overall length in millimeter.

75 mm Toe / 45° refers to the length and angle of the tip.



## Hand Tools

---

TW5401

(5,0 mm)



Blade, Flat, 5,0 x 210 mm, 50 mm Toe / 90°, Hook

TW5402

(5,0 mm)



Blade, Flat, 5,0 x 480 mm, 25 mm Toe / 45°

TW5403

(5,0 mm)



Blade, Flat, 5,0 x 240 mm, 25 mm Toe / 45°, Right

TW5404

(5,0 mm)



Blade, Flat, 5,0 x 240 mm, 25 mm Toe / 45°, Left

TW5407

(5,0 mm)



Blade, Flat, 5,0 x 460 mm, 30 mm Toe / 45°

*Designed by Professionals*



## Hand Tools

TW5405

(6,5 mm)



Blade, Flat, 6,5 x 360 mm, One Bend, 25 mm Toe / 45°, Right

TW5406

(6,5 mm)



Blade, Flat, 6,5 x 360 mm, One Bend, 25 mm Toe / 45°, Left

TW5408

(6,5 mm)



Blade, 6,5 x 100 mm, Flat Straight Pry Bar

TW5409

(6,5 mm)



Blade, 6,5 x 250 mm, Flat Straight Pry Bar

TW5410

(6,5 mm)



Ball Tip, 6,5 x 280 mm, Flat, 25 mm Toe / 30°

TW5411

(6,5 mm)



Blade, 6,5 x 330 mm, Flat, 40 mm Toe / 45°

*Designed by Professionals*



## Hand Tools

TW5412

(6,5 mm)



Blade, Flat, 6,5 x 460 mm, Full J-Curve

TW5413

(6,5 mm)



Blade, 6,5 x 480 mm, Flat, 25 mm Curve, Right

TW5414

(6,5 mm)



Blade, 6,5 x 480 mm, Flat, 25 mm Curve, Left

TW5417

(8,0 mm)



Blade, 8,0 x 630 mm, Flat, Half J-Curve, Up

TW5418

(8,0 mm)



Blade, 8,0 x 660 mm, Flat, Two Bends, 65 mm Toe, 45°

TW5419

(8,0 mm)



Blade, 8,0 x 790 mm, Flat, Half J-Curve, Up

*Designed by Professionals*

## Rod

---

TW5415

(6,5 mm)



Blade, 6,5 x 890 mm, Flat, 50 mm Toe / 90°

TW5416

(8,0 mm)



Ball Tip, 8,0 x 400 mm, / 40 mm Toe / 45°

TW5420

(9,5 mm)



Pick, 9,5 x 760 mm, Slow Curve

TW5421

(9,5 mm)



Ball Tip, 9,5 x 660 mm, Small Tip, 40 mm Toe / 45°

TW5422

(9,5 mm)



Blade, 9,5 x 660 mm, Flat, 75 mm Toe / 45°

*Designed by Professionals*

## Rod

---

TW5423

(11,0 mm)



Pick, 11,0 x 710 mm, Two Bends, Thick Tip

TW5424

(11,0 mm)



Blade, Flat, 11,0 x 910 mm, 75 mm Toe / 45°

TW5425

(11,0 mm)



Ball Tip, 11,0 x 970 mm, 75 mm Toe / 45°

*Designed by Professionals*



## Specials

---

TW5443

(4,0 mm)



Twister, 4,0 x 200 mm

TW5444

(3,5 mm)



Twister, 3,5 x 200 mm

TW5445

(3,0 mm)



Twister, 3,0 x 200 mm

TW5446

(2,5 mm)



Twister, 2,5 x 200 mm

TW5447

(2,0 mm)



Twister, 2,0 x 200 mm

*Designed by Professionals*

## Specials

---

TW5437

(4,5 mm)



Twister, 4,5 x 400 mm

TW5438

(4,0 mm)



Twister, 4,0 x 400 mm

TW5439

(3,5 mm)



Twister, 3,5 x 400 mm

TW5440

(3,0 mm)



Twister, 3,0 x 400 mm

TW5441

(2,5 mm)



Twister, 2,5 x 400 mm

TW5442

(2,0 mm)



Twister, 2,0 x 400 mm

*Designed by Professionals*

## Specials

---

TW5433

(5,0 mm)



Blade, One Bend, 5,0 x 280 mm, 25 mm Toe / 45°, Right

TW5434

(5,0 mm)



Blade, One Bend, 5,0 x 280 mm, 25 mm Toe / 45°, Left

TW5435

(5,0 mm)



Blade, One Bend, 5,0 x 400 mm, 30 mm Toe / 45°, Right

TW5436

(5,0 mm)



Blade, One Bend, 5,0 x 400 mm, 30 mm Toe / 45°, Left

*Designed by Professionals*

## Specials

---

TW5426

(6,5 mm)



Flat Bar, 6,5 x 560 mm, One Bend, 45°

TW5457

(6,5 mm)



Full J-Curve, 6,5 x 380 mm, with Right Tweak

TW5458

(6,5 mm)



Full J-Curve, 6,5 x 380 mm, with Left Tweak

*Designed by Professionals*

# Accessories



**P/N 6504**  
Set of 2 Nylon Punches 13 mm



**P/N 6560**  
Set of 2 Nylon Punches 25 mm



**P/N 6568**  
Steelcore Punch



**P/N 6561 (.1) (.2) (.3) (.4)**  
Single Protective Nylon Cap



**P/N 6585**  
Set of 6 Vinyl Tip Protectors



**P/N 6569**  
Plastic Wedge, Model B,  
Narrow



**P/N 6570**  
Plastic Wedge, Model B, Wide



**P/N 6539**  
Plastic Wedge, Model A



**P/N 6541**  
Window Protector



**P/N 6529**  
Air-Wedge



**P/N 6511**  
Set of 3 S-Hooks



**P/N 6543**  
Swivel Hook

# Accessories



**P/N 6567**  
Roof Strap



**P/N 6562**  
Tool Strap with Suction Cap



**P/N 6503**  
Door Jammer, Model A



**P/N 6537**  
Brace Cutter



**P/N 6505**  
Set of 2 Telescopes



**P/N 6574**  
Wood Mallet



**P/N 6517**  
Light Finish Hammer



**P/N 6510**  
Set of 2 Rubber Straps



**P/N 6599**  
Body Massager



**P/N 6558**  
Door Jammer, Model B

# Accessories



**P/N 6536**  
Window Handle Remover



**P/N 6518**  
Door Upholstery Remover



**P/N 6527**  
Set of 2 Dry Erase Markers



**P/N 6542**  
T-Handle Puller



**P/N 6595**  
Tool Bag



**P/N 6596**  
Carrying Case



**P/N 6596-FW**  
Carrying Case,  
with Wheels



**P/N 753050**  
Set of 2 Knee Protectors



**P/N 753000**  
Kwik Bench, Model A  
H: 450—700 mm



**P/N 753010**  
Kwik Bench, Model B  
H: 490 mm



**P/N 752002 Type B**  
Creeper Seat  
H: 360 — 475 mm



**P/N 751001 Type A**  
Creeper Seat  
H: 360 — 475 mm



**P/N 751004**  
Creeper Seat  
H: 510 — 770 mm

# Accessories



**P/N 6101**  
Portable Light Stand, 220 volt



**P/N 6502**  
Portable Light Stand, 220 volt



**P/N 6535**  
Stubby Light, 12 volt



**P/N 6566**  
Quik-Lite, 12 volt



**P/N 6538**  
Mini-Light, 220 Volt



**P/N 6507**  
Quik-Board